

1-1. Specification with 0-10V dimming


Specs	Model No.		
	BL60/60-DZ 35W	BL120/30-DZ 35W	BL120/60-DZ 50W
Size	603*603*30mm	1213*301*30mm	1213*603*30mm
Weight	2.3kg	2.5kg	4.2kg
Material	Aluminum (White) Frame, Without LGP		
Lumen	4375lm	4375lm	6250lm
Light Efficacy	125lm/W	125lm/W	125lm/W
LED light source	SMD2835		
Color(CCT)	3000K/4000K/5000K/6000K		
CRI	>80Ra		
Beam Angle	120°		
Working Temperature	-20°C~+50°C		
IP Grade	IP40		
Driver	Isolated driver		
Mounting (option)	Recessed Mounting, Surface Mounting, Suspended Mounting		
Input Voltage	100-277V AC		
Frequency	50/60Hz		
Power	35W	35W	50W
PF	>0.95		
Max harmonic wave	<15%, No flicker		
Control/Dim Type	0-10V dimmable		
L70 Lifespan	>50000H		

1-2. Specification with Power & CCT Tunable


Specs	Model No.		
	BL60/60-DZ-PA 35W	BL120/30-DZ-PA 35W	BL120/60-DZ-PA 50W
Size	603*603*30mm	1213*301*30mm	1213*603*30mm
Weight	2.3kg	2.5kg	4.2kg
Material	Aluminum (White) Frame, Without LGP		
Lumen	4375lm	4375lm	6250lm
Light Efficacy	125lm/W	125lm/W	125lm/W
LED light source	SMD2835		
Color(CCT)	3000K/35000K/4000K/5000K Tunable		
CRI	>80Ra		
Beam Angle	120°		
Working Temperature	-20°C~+50°C		
IP Grade	IP40		
Driver	Isolated driver		
Mounting (option)	Recessed Mounting, Surface Mounting, Suspended Mounting		
Input Voltage	100-277V AC		
Frequency	50/60Hz		
Power	20/25/30/35W Tunable	20/25/30/35W Tunable	35/40/45/50W Tunable
PF	>0.95		
Max harmonic wave	<15%, No flicker		
Control/Dim Type	0-10V dimmable		
L70 Lifespan	>50000H		

2. Product Photos


BL60/60-DZ



BL120/60-DZ




Power & CCT Tunable



=	{	20W 3000K	25W 3000K
		20W 3500K	25W 3500K
=	{	20W 4000K	25W 4000K
		20W 5000K	25W 5000K
=	{	30W 3000K	35W 3000K
		30W 3500K	35W 3500K
		30W 4000K	35W 4000K
		30W 5000K	35W 5000K

3. Dimension




4. Packaging information


No.	Model	Packing Q`ty	Carton Size	N.W/G.W	Quantity loaded by 40 GP container
1	BL60/60-DZ	2pcs/CTN	645*645*100mm	2.3/5.2kg	3258pcs
2	BL120/30-DZ	2pcs/CTN	1255*350*100mm	2.5/5.7kg	3216pcs
3	BL120/60-DZ	2pcs/CTN	1255*650*100mm	4.2/9.3kg	1662pcs

5. Accessories

- Surface Mounting

No.	Model	Size	Description	Photos
1	SMK-BL60/60	603x603 mm (2x2ft)	Surface Mounting Kit	
2	SMK-BL120/30	1213x301 mm (1x4ft)		
3	SMK-BL120/60	1213x603 mm (2x4ft)		

- Suspended Mounting

No.	Model	Size	Description	Photos
1	HK-BL60/60	603x603 mm (2x2ft)	Hang Kits	
2	HK-BL120/30	1213x301 mm (1x4ft)		
3	HK-BL120/60	1213x603 mm (2x4ft)		